

CARBON STEEL FASTENERS FOR PROFILED STEEL CLADDING

Please call for stainless steel options.

INTO LIGHT GAUGE STEEL <3mm THICK, e.g. Purlin, Spacer Bar etc.

CODE	APPLICATION	PRICE/100 (£)
CT3 25 G19 x Colour Code	Profiled roof sheet primary fix into support	CALL
CTS 22 G16 x Colour Code	Profiled roof sheet side lap stitcher (sheet to sheet)	CALL
CT3 25 G16 x Colour Code	Profiled wall sheet primary fix into support	CALL
DT3 25 G16	Spacer bracket through liner into support	CALL
DT3 25 G19	Profiled Roof Lining panel primary fix into support	CALL
DT3 25 G16	Profiled Wall Lining panel primary fix into support	CALL
CT3 25 G29 x BS04E53*	GRP external rooflight primary fix into support	CALL
CTS 22 G16 x BS04E53*	GRP external rooflight side lap stitcher (into steel sheet)	CALL
DT3 25 G29	GRP lining panel rooflight primary fix into support	CALL

* BS04E53 Poppy Red - A statutory HSE requirement for rooflights.

INTO HOT ROLLED STEEL 4-12mm THICK

CODE	APPLICATION	PRICE/100 (£)
CT12 35 G19 x Colour Code	Profiled roof sheet primary fix into support	CALL
CTS 22 G16 x Colour Code	Profiled roof sheet side lap stitcher (sheet to sheet)	CALL
CT12 35 G16 x Colour Code	Profiled wall sheet primary fix into support	CALL
DT12 35 G16	Spacer bracket through liner into support	CALL
DT12 35 G19	Profiled Roof Lining panel primary fix into support	CALL
DT12 35 G16	Profiled Wall Lining panel primary fix into support	CALL
CT12 35 G29 x BS04E53*	GRP external rooflight into support	CALL
CTS 22 G16 x BS04E53*	GRP external rooflight side lap stitcher (into steel sheet)	CALL
DT12 35 G29	GRP lining panel rooflight primary fix into support	CALL

* BS04E53 Poppy Red - A statutory HSE requirement for rooflights.

INTO TIMBER (Min 50mm thick)

CODE	APPLICATION	PRICE/100 (£)
CTT 45 G19 x Colour Code	Profiled roof sheet primary fix into support	CALL
CTS 22 G16 x Colour Code	Profiled roof sheet side lap stitcher (sheet to sheet)	CALL
CTT 45 G16 x Colour Code	Profiled wall sheet primary fix into support	CALL
DST 40 G16	Spacer bracket through liner into support	CALL
DST 40 G19	Profiled Roof Lining panel primary fix into support	CALL
DST 40 G16	Profiled Wall Lining panel primary fix into support	CALL
CTT 45 G29 x BS04E53*	GRP external rooflight into support	CALL
CTS 22 G16 x BS04E53*	GRP external rooflight side lap stitcher (into steel sheet)	CALL
DST 40 G29	GRP lining panel rooflight primary fix into support	CALL

* BS04E53 Poppy Red - A statutory HSE requirement for rooflights.

PLEASE CALL US FOR EXCELLENT RATES & NATIONWIDE DELIVERY.....

CARBON STEEL FASTENERS FOR COMPOSITE PANELS

Please call for stainless steel options.

INTO LIGHT GAUGE STEEL <3mm THICK, e.g. Purlin, Spacer Bar etc.

CODE	APPLICATION	PRICE/100 (£)
Through Fix Panels:		
CTHT 65 x Washer* x Colour	30-45mm Panel thickness	CALL
CTHT 80 x Washer* x Colour	40-60mm Panel thickness	CALL
CTHT 100 x Washer* x Colour	45-80mm Panel thickness	CALL
CTHT 120 x Washer* x Colour	65-105mm Panel thickness	CALL
CTHT 150 x Washer* x Colour	95-130mm Panel thickness	CALL
CTS 22 G16 x Colour Code	Roof panel side lap stitcher (sheet to sheet)	CALL
Concealed Fix Wall Panels:		
DTHT 65 G16	30-45mm Panel thickness	CALL
DTHT 80 G16	40-60mm Panel thickness	CALL
DTHT 100 G16	45-80mm Panel thickness	CALL
DTHT 120 G16	65-105mm Panel thickness	CALL
DTHT 150 G16	95-130mm Panel thickness	CALL

* G16 wall, G19 roof, G29 Rooflight

Note: BS04E53 Poppy Red coloured heads are a statutory HSE requirement for rooflights.

INTO HOT ROLLED STEEL 4-12mm THICK

CODE	APPLICATION	PRICE/100 (£)
Through Fix Panels:		
CT12HT 85 x Washer* x Colour	25-55mm Panel thickness	CALL
CT12HT 105 x Washer* x Colour	35-75mm Panel thickness	CALL
CT12HT 120 x Washer* x Colour	45-90mm Panel thickness	CALL
CT12HT 150 x Washer* x Colour	65-120mm Panel thickness	CALL
CTS 22 G16 x Colour Code	Roof panel side lap stitcher (sheet to sheet)	CALL
Concealed Fix Wall Panels:		
DT12HT 85 G16	25-55mm Panel thickness	CALL
DT12HT 105 G16	35-75mm Panel thickness	CALL
DT12HT 120 G16	45-90mm Panel thickness	CALL
DT12HT 150 G16	70-120mm Panel thickness	CALL
DT12HT 180 G16	100-150mm Panel thickness	CALL

* G16 wall, G19 roof, G29 Rooflight

Note: BS04E53 Poppy Red coloured heads are a statutory HSE requirement for rooflights.

INTO TIMBER (Min 50mm thick)

CODE	APPLICATION	PRICE/100 (£)
PLEASE CALL FOR ADVICE		

PLEASE CALL US FOR EXCELLENT RATES & NATIONWIDE DELIVERY.....

ACCESSORIES FOR PROFILED STEEL CLADDING & COMPOSITE PANELS

Call for availability on accessories not listed.

SEALANT

CODE	APPLICATION	PRICE/100 (£)
Class A Cross Linked Butyl Tape Sealant:		
6 x 5mm x 9.6m Roll	Profiled roof sheet side and end lap strip sealant tape	CALL
	Composite roof panel side and end lap strip sealant tape	
	External flashing joints	
	Internal flashing to composite panel joints	
9 x 3mm x 15m Roll	Internal lining panel end laps joints	CALL
	Internal flashing to lining panel joints	
6mm dia. bead x 8m Roll	Profiled roof sheet side and end lap strip sealant tape	CALL
	Composite roof panel side and end lap strip sealant tape	
	External flashing joints	
	Internal flashing to composite panel joints	
4mm dia. Bead x 12m Roll	Internal lining panel end lap joints	CALL
	Internal flashing to lining panel joints	
50 x 1mm Polyband x 35m	Internal lining panel side lap joints	CALL
9 x 1.5mm x 30m Roll	Bedding profiled filler blocks	CALL
	Gutter butt strap joints	
50 x 3mm x 5m Roll	Gutter end lap joints	CALL
Gun Grade Sealant:		
310ml low modulus	General application	CALL
310ml high modulus	General application	CALL
387ml butyl	General application	CALL
387ml G.P. Mastic	General application	CALL

GENERAL ACCESSORIES

CODE	APPLICATION	PRICE/100 (£)
700ml FR expanding foam	Gaps between flashings and composite panel joints	CALL
IH 110 Insulation Spike	Securing insulation to wall cladding	CALL
IH 160 Insulation Spike	Securing insulation to wall cladding	CALL
PEL Filler Strip -Small*	Fills void between profile and flashing	CALL
PEL Filler Strip -Large*	Fills void between profile and flashing	CALL
SP J49	Jobber drill bit for 'multi-grip' and 'AD' rivets	CALL
SP J53	Jobber drill bit for 'bulb-tite' rivets	CALL
8mm DT Drive Socket	Drive Socket for securing 'DT' type fasteners	CALL
11mm CT Drive Socket	Drive Socket for securing 'CT' Colortite type fasteners	CALL

PLEASE CALL US FOR EXCELLENT RATES & NATIONWIDE DELIVERY.....